



Steep Hill Arkansas



Accreditation # 97338

11711 HERMITAGE ROAD, SUITE #5, LITTLE ROCK, AR 72211 LICENSE #: BL157155

CERTIFICATE OF ANALYSIS

Sample Name: 1000mg Full Natural
 Steep Hill ID: AR80332
 Batch ID: 30
 State ID:
 Sample Type: Tincture
 Date Received: 1/20/2020
 Date Reported: 2/6/2020
 Pkg. Volume: 60 mL
 # of Servings: 60
 Density: 0.980 g/mL

Customer: EVO3 OFI LLC
 8000 McBeth Way – STE 100
 The Woodlands, TX 77382

OVERALL BATCH SUMMARY: **PASS**

Cannabinoids	Residual Pesticides	Microbial Impurities	Heavy Metals	Residual Solvents	Moisture	Water Activity
N/A	Pass	Pass	Pass	Pass	NT	NT



Total THC
 0.0169 %
 0.169 mg/g
 9.91 mg/pkg
 0.165 mg/serv

Total CBD
 1.72 %
 17.2 mg/g
 1013 mg/pkg
 16.9 mg/serv

Total Cannabinoids
 1.74 %
 17.4 mg/g
 1023 mg/pkg
 17.1 mg/serv

Brandon Thornton
 Pharm D. Co-Owner & CEO
 Date: 2/6/2020

The following results relate only to the samples tested and for the specific tests conducted. Steep Hill grants permission to reproduce this document in full only.

CERTIFICATE #: AR80332
 REVISION #: AR80332.1



CERTIFICATE OF ANALYSIS

Cannabinoid Results

1/27/2020

Standard potency analysis utilizing Ultra High Performance Liquid Chromatography (UHPLC; SOP-068-AR)

Analyte	%	mg/g	mg/pkg	mg/serv	LOD mg/g	LOQ mg/g
CBC	NT	NT	NT	NT	NT	NT
CBD	1.72	17.2	1013	16.9	0.0171	0.0569
CBDA	ND	ND	ND	ND	0.0466	0.155
CBDV	NT	NT	NT	NT	NT	NT
CBG	NT	NT	NT	NT	NT	NT
CBGA	NT	NT	NT	NT	NT	NT
CBN	NT	NT	NT	NT	NT	NT
THC	0.0169	0.169	9.91	0.165	0.0247	0.0823
delta-8-THC	NT	NT	NT	NT	NT	NT
THCA	ND	ND	ND	ND	0.0350	0.117
THCV	NT	NT	NT	NT	NT	NT
Total	1.74	17.4	1023	17.1		

Terpenoid Results

NT

Standard terpene analysis utilizing Gas Chromatography – Mass Spectrometry (GC-MS; SOP-069-AR)

Analyte	%	mg/g	mg/mL	LOD mg/g	LOQ mg/g	Analyte	%	mg/g	mg/mL	LOD mg/g	LOQ mg/g
alpha-Bisabolol	NT	NT	NT	NT	NT	Linalool	NT	NT	NT	NT	NT
endo-Borneol	NT	NT	NT	NT	NT	Menthol	NT	NT	NT	NT	NT
Camphene	NT	NT	NT	NT	NT	β-Myrcene	NT	NT	NT	NT	NT
Camphor	NT	NT	NT	NT	NT	Nerol	NT	NT	NT	NT	NT
3-Carene	NT	NT	NT	NT	NT	cis-Nerolidol	NT	NT	NT	NT	NT
Caryophyllene Oxide	NT	NT	NT	NT	NT	trans-Nerolidol	NT	NT	NT	NT	NT
β-Caryophyllene	NT	NT	NT	NT	NT	cis-beta-Ocimene	NT	NT	NT	NT	NT
alpha-Cedrene	NT	NT	NT	NT	NT	trans-beta-Ocimene	NT	NT	NT	NT	NT
Cedrol	NT	NT	NT	NT	NT	alpha-Phellandrene	NT	NT	NT	NT	NT
Eucalyptol	NT	NT	NT	NT	NT	α-Pinene	NT	NT	NT	NT	NT
beta-Farnesene	NT	NT	NT	NT	NT	β-Pinene	NT	NT	NT	NT	NT
Fenchol	NT	NT	NT	NT	NT	Pulegone	NT	NT	NT	NT	NT
Fenchone	NT	NT	NT	NT	NT	Sabinene	NT	NT	NT	NT	NT
Geraniol	NT	NT	NT	NT	NT	Sabinene Hydrate	NT	NT	NT	NT	NT
Geranyl Acetate	NT	NT	NT	NT	NT	alpha-Terpinene	NT	NT	NT	NT	NT
Guaiol	NT	NT	NT	NT	NT	gamma-Terpinene	NT	NT	NT	NT	NT
α-Humulene	NT	NT	NT	NT	NT	Terpineol	NT	NT	NT	NT	NT
Isoborneol	NT	NT	NT	NT	NT	Terpinolene	NT	NT	NT	NT	NT
Isopulegol	NT	NT	NT	NT	NT	Valencene	NT	NT	NT	NT	NT
Limonene	NT	NT	NT	NT	NT	Total	NT	NT	NT	NT	NT

Moisture Results

NT

Moisture content analysis utilizing Moisture Balance (MB; SOP-055-AR)

Analyte	%
Moisture	NT

Water Activity Results

NT

Water activity analysis utilizing Water Activity Meter (WAM; SOP-059-AR) - Limit units: Aw

Analyte	Pass/Fail	Aw	Limit
Water Activity		NT	NT

LOD: Limit of Detection
 LOQ: Limit of Quantitation
 NT: Not Tested
 ND: Not Detected

Brandon Thornton
 Pharm D. Co-Owner & CEO
 Date: 2/6/2020

The following results relate only to the samples tested and for the specific tests conducted. Steep Hill grants permission to reproduce this document in full only.

CERTIFICATE #: AR80332
 REVISION #: AR80332.1



CERTIFICATE OF ANALYSIS

Residual Pesticides Results

Pass**1/31/2020**Residual pesticide analysis utilizing Liquid and Gas Chromatography – Mass Spectrometry (LC-MSMS + GC-MSMS); SOP-070-AR + SOP-073-AR) - **Limit units: ug/g = ppm**

Analyte	Pass/Fail	µg/g	Limit	LOD µg/g	LOQ µg/g	Analyte	Pass/Fail	µg/g	Limit	LOD µg/g	LOQ µg/g
Abamectin	Pass	ND	0.5	0.161	0.535	Imazailil	Pass	ND	0.2	0.0206	0.0688
Acephate	Pass	ND	0.4	0.0125	0.0416	Imidacloprid	Pass	ND	0.4	0.00973	0.0324
Acequinocyl	Pass	ND	2	0.179	0.597	Kresoxim-methyl	Pass	ND	0.4	0.00861	0.0287
Acetamiprid	Pass	ND	0.2	0.0126	0.0420	Malathion	Pass	ND	0.2	0.00599	0.0200
Aldicarb	Pass	ND	0.4	0.0804	0.268	Metalaxyl	Pass	ND	0.2	0.00883	0.0294
Azoxystrobin	Pass	ND	0.2	0.0114	0.0378	Methiocarb	Pass	ND	0.2	0.00850	0.0283
Bifenazate	Pass	ND	0.2	0.00791	0.0264	Methomyl	Pass	ND	0.4	0.0127	0.0424
Bifenthrin	Pass	ND	0.2	0.0638	0.213	Methyl Parathion	Pass	ND	0.2	0.0142	0.0416
Boscalid	Pass	ND	0.4	0.0202	0.0674	MGK-264	Pass	ND	0.2	0.00189	0.00472
Carbaryl	Pass	ND	0.2	0.00757	0.0252	Myclobutanil	Pass	ND	0.2	0.0107	0.0355
Carbofuran	Pass	ND	0.2	0.00890	0.0296	Naled	Pass	ND	0.5	0.0190	0.0635
Chlorantraniliprole	Pass	ND	0.2	0.0139	0.0462	Oxamyl	Pass	ND	1	0.0180	0.0599
Chlorfenapyr	Pass	ND	1	0.0142	0.0416	Paclobutrazol	Pass	ND	0.4	0.0151	0.0503
Chlorpyrifos	Pass	ND	0.2	0.0129	0.0429	Permethrins	Pass	ND	0.2	0.0132	0.0387
Clofentezine	Pass	ND	0.2	0.0178	0.0592	Phosmet	Pass	ND	0.2	0.0133	0.0445
Cyfluthrin	Pass	ND	1	0.0217	0.0633	Piperonyl Butoxide	Pass	ND	2	0.00875	0.0291
Cypermethrin	Pass	ND	1	0.0217	0.0652	Prallethrin	Pass	ND	0.2	0.0289	0.0965
Daminozide	Pass	ND	1	0.0259	0.0865	Propiconazole	Pass	ND	0.4	0.00622	0.0207
Diazinon	Pass	ND	0.1	0.00919	0.0306	Propoxur	Pass	ND	0.2	0.00683	0.0228
DDVP (Dichlorvos)	Pass	ND	0.2	0.0121	0.0403	Pyrethrins	Pass	ND	1	0.00964	0.0322
Dimethoate	Pass	ND	0.2	0.0127	0.0424	Pyridaben	Pass	ND	0.2	0.0146	0.0485
Ethoprophos	Pass	ND	0.2	0.0123	0.0411	Spinosad	Pass	ND	0.2	0.0165	0.0549
Etofenprox	Pass	ND	0.4	0.0175	0.0582	Spiromesifen	Pass	ND	0.2	0.0143	0.0477
Etoxazole	Pass	ND	0.2	0.0141	0.0469	Spirotetramat	Pass	ND	0.2	0.00696	0.0232
Fenoxycarb	Pass	ND	0.2	0.0112	0.0373	Spiroxamine	Pass	ND	0.4	0.0212	0.0708
Fenpyroximate	Pass	ND	0.4	0.00903	0.0301	Tebuconazole	Pass	ND	0.4	0.00632	0.0211
Fipronil	Pass	ND	0.4	0.0175	0.0584	Thiacloprid	Pass	ND	0.2	0.00741	0.0247
Flonicamid	Pass	ND	1	0.0223	0.0745	Thiamethoxam	Pass	ND	0.2	0.00742	0.0247
Fludioxonil	Pass	ND	0.4	0.0212	0.0706	Trifloxystrobin	Pass	ND	0.2	0.00913	0.0304
Hexythiazox	Pass	ND	1	0.00930	0.0310						

Heavy Metals Results

Pass**1/30/2020**Heavy metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS; SOP-072-AR) - **Limit units: µg/kg**

Analyte	Pass/Fail	µg/kg	Limit	LOD µg/kg	LOQ µg/kg
Arsenic	Pass	ND	200	1.63	5.44
Cadmium	Pass	ND	200	0.533	1.78
Lead	Pass	ND	500	1.41	4.71
Mercury	Pass	< LOQ	100	0.873	2.91

Microbial Impurities Results

Pass**1/30/2020**Microbiological screening utilizing 3M Petrifilm (SOP-700-AR) - **Limit units: CFU/g**

Analyte	Pass/Fail	Result	Limit	LOQ
Coliform	Pass	ND		Not Detected in 1 gram
General E. coli	NT	NT	NT	NT
Salmonella		NT	NT	NT

Brandon Thornton
Pharm D. Co-Owner & CEO
Date: 2/6/2020

The following results relate only to the samples tested and for the specific tests conducted. Steep Hill grants permission to reproduce this document in full only.

CERTIFICATE #: AR80332
REVISION #: AR80332.1



CERTIFICATE OF ANALYSIS

Residual Solvents Results**Pass****2/6/2020**Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (HS-GC-MS; SOP-010-AR) - **Limit units: µg/g**

Analyte	Pass/Fail	µg/g	Limit	LOD µg/g	LOQ µg/g	Analyte	Pass/Fail	µg/g	Limit	LOD µg/g	LOQ µg/g
1-Butanol	Pass	ND	5000	16.3	54.3	Dimethyl Sulfoxide	Pass	ND	5000	14.1	47.0
1-Pentanol	Pass	ND	5000	27.2	90.5	Ethanol	Pass	ND	5000	19.7	65.8
1-Propanol	Pass	ND	5000	40.6	135	Ethyl Acetate	Pass	ND	5000	7.09	23.6
1,2-Dimethoxyethane	Pass	ND	100	21.8	72.5	Ethyl Ether	Pass	ND	5000	2.49	8.30
1,4-Dioxane	Pass	ND	380	21.1	70.5	Ethylene Glycol	Pass	ND	620	2.33	7.77
2-Butanol	Pass	ND	5000	20.6	68.6	Ethylene Oxide	Pass	ND	50	1.64	5.47
2-Butanone	Pass	ND	5000	11.4	38.0	Heptane	Pass	ND	5000	8.99	30.0
2-Ethoxyethanol	Pass	ND	160	15.2	50.7	n-Hexane	Pass	ND	290	2.59	8.65
2-Methylbutane	Pass	ND	5000	1.96	6.53	Isopropyl Acetate	Pass	ND	5000	12.3	41.1
2-Methylpentane	Pass	ND	290	2.33	7.75	Methanol	Pass	ND	3000	8.84	29.5
2-Propanol (IPA)	Pass	ND	5000	28.9	93.7	Methylpropane	Pass	ND	5000	2.36	7.85
2,2-Dimethylbutane	Pass	ND	290	4.35	14.5	N,N-Dimethylacetamide	Pass	ND	1090	16.5	55.0
2,3-Dimethylbutane	Pass	ND	290	1.89	6.30	N,N-Dimethylformamide	Pass	ND	880	22.4	74.5
3-Methylpentane	Pass	ND	290	2.41	8.02	Pentane	Pass	ND	5000	2.07	6.89
Acetone	Pass	ND	5000	45.6	152	Propane	Pass	ND	5000	2.34	7.80
Acetonitrile	Pass	ND	410	18.5	55.4	Pyridine	Pass	ND	200	13.6	45.4
Benzene	Pass	ND	2	0.415	1.38	Sulfolane	Pass	ND	160	8.22	27.4
Butane	Pass	ND	5000	1.87	6.22	Tetrahydrofuran	Pass	ND	720	9.61	32.0
Cumene	Pass	ND	70	8.10	27.0	Toluene	Pass	ND	890	21.5	71.6
Cyclohexane	Pass	ND	3880	4.95	16.5	Xylenes	Pass	ND	2170	29.6	98.6
Dichloromethane	Pass	ND	600	2.09	6.96						

Brandon Thornton
Pharm D. Co-Owner & CEO
Date: 2/6/2020

The following results relate only to the samples tested and for the specific tests conducted. Steep Hill grants permission to reproduce this document in full only.

CERTIFICATE #: AR80332
REVISION #: AR80332.1

Page 4 of 4