



Steep Hill Arkansas



Accreditation # 97338

11711 HERMITAGE ROAD, SUITE #5, LITTLE ROCK, AR 72211 LICENSE #: BL157155

CERTIFICATE OF ANALYSIS

Sample Name: 3000mg Broad Mint
 Steep Hill ID: AR80335
 Batch ID: 32
 State ID:
 Sample Type: Tincture
 Date Received: 1/20/2020
 Date Reported: 2/6/2020
 Pkg. Volume: 60 mL
 # of Servings: 60
 Density: 0.977 g/mL

Customer: EVO3 OFI LLC
 8000 McBeth Way – STE 100
 The Woodlands, TX 77382

OVERALL BATCH SUMMARY: **PASS**

Cannabinoids	Residual Pesticides	Microbial Impurities	Heavy Metals	Residual Solvents	Moisture	Water Activity
N/A	Pass	Pass	Pass	Pass	NT	NT



Total THC
 Not Detected
 Not Detected
 Not Detected
 Not Detected

Total CBD
 5.32 %
 53.2 mg/g
 3121 mg/pkg
 52.0 mg/serv

Total Cannabinoids
 5.32 %
 53.2 mg/g
 3121 mg/pkg
 52.0 mg/serv

Brandon Thornton
 Pharm D. Co-Owner & CEO
 Date: 2/6/2020

The following results relate only to the samples tested and for the specific tests conducted. Steep Hill grants permission to reproduce this document in full only.

CERTIFICATE #: AR80335
 REVISION #: AR80335.1



CERTIFICATE OF ANALYSIS

Cannabinoid Results

1/22/2020

Standard potency analysis utilizing Ultra High Performance Liquid Chromatography (UHPLC; SOP-068-AR)

Analyte	%	mg/g	mg/pkg	mg/serv	LOD mg/g	LOQ mg/g
CBC	NT	NT	NT	NT	NT	NT
CBD	5.32	53.2	3121	52.0	0.0171	0.0571
CBDA	ND	ND	ND	ND	0.0467	0.156
CBDV	NT	NT	NT	NT	NT	NT
CBG	NT	NT	NT	NT	NT	NT
CBGA	NT	NT	NT	NT	NT	NT
CBN	NT	NT	NT	NT	NT	NT
THC	ND	ND	ND	ND	0.0248	0.0826
delta-8-THC	NT	NT	NT	NT	NT	NT
THCA	ND	ND	ND	ND	0.0351	0.117
THCV	NT	NT	NT	NT	NT	NT
Total	5.32	53.2	3121	52.0		

Terpenoid Results

NT

Standard terpene analysis utilizing Gas Chromatography – Mass Spectrometry (GC-MS; SOP-069-AR)

Analyte	%	mg/g	mg/mL	LOD mg/g	LOQ mg/g	Analyte	%	mg/g	mg/mL	LOD mg/g	LOQ mg/g
alpha-Bisabolol	NT	NT	NT	NT	NT	Linalool	NT	NT	NT	NT	NT
endo-Borneol	NT	NT	NT	NT	NT	Menthol	NT	NT	NT	NT	NT
Camphene	NT	NT	NT	NT	NT	β-Myrcene	NT	NT	NT	NT	NT
Camphor	NT	NT	NT	NT	NT	Nerol	NT	NT	NT	NT	NT
3-Carene	NT	NT	NT	NT	NT	cis-Nerolidol	NT	NT	NT	NT	NT
Caryophyllene Oxide	NT	NT	NT	NT	NT	trans-Nerolidol	NT	NT	NT	NT	NT
β-Caryophyllene	NT	NT	NT	NT	NT	cis-beta-Ocimene	NT	NT	NT	NT	NT
alpha-Cedrene	NT	NT	NT	NT	NT	trans-beta-Ocimene	NT	NT	NT	NT	NT
Cedrol	NT	NT	NT	NT	NT	alpha-Phellandrene	NT	NT	NT	NT	NT
Eucalyptol	NT	NT	NT	NT	NT	α-Pinene	NT	NT	NT	NT	NT
beta-Farnesene	NT	NT	NT	NT	NT	β-Pinene	NT	NT	NT	NT	NT
Fenchol	NT	NT	NT	NT	NT	Pulegone	NT	NT	NT	NT	NT
Fenchone	NT	NT	NT	NT	NT	Sabinene	NT	NT	NT	NT	NT
Geraniol	NT	NT	NT	NT	NT	Sabinene Hydrate	NT	NT	NT	NT	NT
Geranyl Acetate	NT	NT	NT	NT	NT	alpha-Terpinene	NT	NT	NT	NT	NT
Guaiol	NT	NT	NT	NT	NT	gamma-Terpinene	NT	NT	NT	NT	NT
α-Humulene	NT	NT	NT	NT	NT	Terpineol	NT	NT	NT	NT	NT
Isoborneol	NT	NT	NT	NT	NT	Terpinolene	NT	NT	NT	NT	NT
Isopulegol	NT	NT	NT	NT	NT	Valencene	NT	NT	NT	NT	NT
Limonene	NT	NT	NT	NT	NT	Total	NT	NT	NT	NT	NT

Moisture Results

NT

Moisture content analysis utilizing Moisture Balance (MB; SOP-055-AR)

Analyte	%
Moisture	NT

Water Activity Results

NT

Water activity analysis utilizing Water Activity Meter (WAM; SOP-059-AR) - Limit units: Aw

Analyte	Pass/Fail	Aw	Limit
Water Activity		NT	NT

LOD: Limit of Detection
 LOQ: Limit of Quantitation
 NT: Not Tested
 ND: Not Detected

Brandon Thornton
 Pharm D. Co-Owner & CEO
 Date: 2/6/2020

The following results relate only to the samples tested and for the specific tests conducted. Steep Hill grants permission to reproduce this document in full only.

CERTIFICATE #: AR80335
 REVISION #: AR80335.1



CERTIFICATE OF ANALYSIS

Residual Pesticides Results**Pass****1/31/2020**Residual pesticide analysis utilizing Liquid and Gas Chromatography – Mass Spectrometry (LC-MSMS + GC-MSMS); SOP-070-AR + SOP-073-AR) - **Limit units: ug/g = ppm**

Analyte	Pass/Fail	µg/g	Limit	LOD µg/g	LOQ µg/g	Analyte	Pass/Fail	µg/g	Limit	LOD µg/g	LOQ µg/g
Abamectin	Pass	ND	0.5	0.162	0.541	Imazailil	Pass	ND	0.2	0.0209	0.0697
Acephate	Pass	ND	0.4	0.0126	0.0421	Imidacloprid	Pass	ND	0.4	0.00985	0.0328
Acequinocyl	Pass	ND	2	0.181	0.604	Kresoxim-methyl	Pass	ND	0.4	0.00872	0.0291
Acetamiprid	Pass	ND	0.2	0.0128	0.0425	Malathion	Pass	ND	0.2	0.00606	0.0202
Aldicarb	Pass	ND	0.4	0.0814	0.271	Metalaxyl	Pass	ND	0.2	0.00894	0.0298
Azoxystrobin	Pass	ND	0.2	0.0115	0.0383	Methiocarb	Pass	ND	0.2	0.00860	0.0287
Bifenazate	Pass	ND	0.2	0.00801	0.0267	Methomyl	Pass	ND	0.4	0.0129	0.0429
Bifenthrin	Pass	ND	0.2	0.0645	0.215	Methyl Parathion	Pass	ND	0.2	0.0143	0.0421
Boscalid	Pass	ND	0.4	0.0205	0.0682	MGK-264	Pass	ND	0.2	0.00191	0.00478
Carbaryl	Pass	ND	0.2	0.00766	0.0255	Myclobutanil	Pass	ND	0.2	0.0108	0.0360
Carbofuran	Pass	ND	0.2	0.00900	0.0300	Naled	Pass	ND	0.5	0.0193	0.0643
Chlorantraniliprole	Pass	ND	0.2	0.0140	0.0467	Oxamyl	Pass	ND	1	0.0182	0.0606
Chlorfenapyr	Pass	ND	1	0.0143	0.0421	Paclobutrazol	Pass	ND	0.4	0.0153	0.0509
Chlorpyrifos	Pass	ND	0.2	0.0130	0.0434	Permethrins	Pass	ND	0.2	0.0134	0.0392
Clofentezine	Pass	ND	0.2	0.0180	0.0599	Phosmet	Pass	ND	0.2	0.0135	0.0450
Cyfluthrin	Pass	ND	1	0.0220	0.0640	Piperonyl Butoxide	Pass	ND	2	0.00885	0.0295
Cypermethrin	Pass	ND	1	0.0220	0.0660	Prallethrin	Pass	ND	0.2	0.0293	0.0977
Daminozide	Pass	ND	1	0.0263	0.0875	Propiconazole	Pass	ND	0.4	0.00630	0.0210
Diazinon	Pass	ND	0.1	0.00930	0.0310	Propoxur	Pass	ND	0.2	0.00691	0.0230
DDVP (Dichlorvos)	Pass	ND	0.2	0.0122	0.0408	Pyrethrins	Pass	ND	1	0.00976	0.0325
Dimethoate	Pass	ND	0.2	0.0129	0.0429	Pyridaben	Pass	ND	0.2	0.0147	0.0491
Ethoprophos	Pass	ND	0.2	0.0125	0.0416	Spinosad	Pass	ND	0.2	0.0167	0.0556
Etofenprox	Pass	ND	0.4	0.0177	0.0589	Spiromesifen	Pass	ND	0.2	0.0145	0.0483
Etoxazole	Pass	ND	0.2	0.0143	0.0475	Spirotetramat	Pass	ND	0.2	0.00704	0.0235
Fenoxycarb	Pass	ND	0.2	0.0113	0.0378	Spiroxamine	Pass	ND	0.4	0.0215	0.0716
Fenpyroximate	Pass	ND	0.4	0.00914	0.0304	Tebuconazole	Pass	ND	0.4	0.00639	0.0213
Fipronil	Pass	ND	0.4	0.0177	0.0591	Thiacloprid	Pass	ND	0.2	0.00750	0.0250
Flonicamid	Pass	ND	1	0.0226	0.0754	Thiamethoxam	Pass	ND	0.2	0.00751	0.0250
Fludioxonil	Pass	ND	0.4	0.0214	0.0714	Trifloxystrobin	Pass	ND	0.2	0.00924	0.0308
Hexythiazox	Pass	ND	1	0.00942	0.0314						

Heavy Metals Results**Pass****1/30/2020**Heavy metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS; SOP-072-AR) - **Limit units: µg/kg**

Analyte	Pass/Fail	µg/kg	Limit	LOD µg/kg	LOQ µg/kg
Arsenic	Pass	ND	200	1.57	5.25
Cadmium	Pass	ND	200	0.514	1.71
Lead	Pass	ND	500	1.36	4.54
Mercury	Pass	4.41	100	0.842	2.81

Microbial Impurities Results**Pass****1/30/2020**Microbiological screening utilizing 3M Petrifilm (SOP-700-AR) - **Limit units: CFU/g**

Analyte	Pass/Fail	Result	Limit	LOQ
Coliform	Pass	ND		Not Detected in 1 gram
General E. coli	NT	NT	NT	NT
Salmonella		NT	NT	NT

Brandon Thornton
Pharm D. Co-Owner & CEO
Date: 2/6/2020

The following results relate only to the samples tested and for the specific tests conducted. Steep Hill grants permission to reproduce this document in full only.

CERTIFICATE #: AR80335
REVISION #: AR80335.1



CERTIFICATE OF ANALYSIS

Residual Solvents Results

Pass

2/6/2020

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (HS-GC-MS; SOP-010-AR) - Limit units: µg/g

Analyte	Pass/Fail	µg/g	Limit	LOD µg/g	LOQ µg/g	Analyte	Pass/Fail	µg/g	Limit	LOD µg/g	LOQ µg/g
1-Butanol	Pass	ND	5000	14.5	48.4	Dimethyl Sulfoxide	Pass	ND	5000	12.6	41.9
1-Pentanol	Pass	ND	5000	24.2	80.7	Ethanol	Pass	ND	5000	17.6	58.6
1-Propanol	Pass	ND	5000	36.2	121	Ethyl Acetate	Pass	ND	5000	6.33	21.1
1,2-Dimethoxyethane	Pass	ND	100	19.4	64.7	Ethyl Ether	Pass	ND	5000	2.22	7.40
1,4-Dioxane	Pass	ND	380	18.9	62.8	Ethylene Glycol	Pass	ND	620	2.08	6.93
2-Butanol	Pass	ND	5000	18.4	61.2	Ethylene Oxide	Pass	ND	50	1.46	4.88
2-Butanone	Pass	ND	5000	10.2	33.9	Heptane	Pass	ND	5000	8.02	26.7
2-Ethoxyethanol	Pass	ND	160	13.6	45.2	n-Hexane	Pass	ND	290	2.31	7.71
2-Methylbutane	Pass	ND	5000	1.75	5.82	Isopropyl Acetate	Pass	ND	5000	11.0	36.7
2-Methylpentane	Pass	ND	290	2.07	6.92	Methanol	Pass	ND	3000	7.88	26.3
2-Propanol (IPA)	Pass	ND	5000	25.8	83.5	Methylpropane	Pass	ND	5000	2.10	7.00
2,2-Dimethylbutane	Pass	ND	290	3.88	12.9	N,N-Dimethylacetamide	Pass	ND	1090	14.7	49.0
2,3-Dimethylbutane	Pass	ND	290	1.69	5.62	N,N-Dimethylformamide	Pass	ND	880	19.9	66.4
3-Methylpentane	Pass	ND	290	2.15	7.15	Pentane	Pass	ND	5000	1.84	6.15
Acetone	Pass	ND	5000	40.6	135	Propane	Pass	ND	5000	2.09	6.96
Acetonitrile	Pass	ND	410	16.5	49.4	Pyridine	Pass	ND	200	12.2	40.5
Benzene	Pass	ND	2	0.370	1.23	Sulfolane	Pass	ND	160	7.33	24.4
Butane	Pass	ND	5000	1.66	5.55	Tetrahydrofuran	Pass	ND	720	8.57	28.6
Cumene	Pass	ND	70	7.22	24.1	Toluene	Pass	ND	890	19.1	63.8
Cyclohexane	Pass	ND	3880	4.42	14.7	Xylenes	Pass	ND	2170	26.4	88.0
Dichloromethane	Pass	ND	600	1.86	6.20						

Brandon Thornton
Pharm D. Co-Owner & CEO
Date: 2/6/2020

The following results relate only to the samples tested and for the specific tests conducted. Steep Hill grants permission to reproduce this document in full only.

CERTIFICATE #: AR80335
REVISION #: AR80335.1

Page 4 of 4